



مجموعة العفيفي الصناعية
AFIFI INDUSTRIAL GROUP

Company Portfolio





مجموعة العفيفي الصناعية
AFIFI INDUSTRIAL GROUP

Saudi Arabia

Jeddah

Tel: +966126092333 ext: 333

Fax: +966126093444

p.o.box 31910 Jeddah 21418

Facebook/afifi group

twitter @afifimarble

instagram #afifimarble



Applications

Solid surfaces is used in the following environment:

- Kitchen/Bathroom: kitchen worktops with integrated sink, vanity countertop, bath tub etc.
- Hospitality/Catering: bars, tables, reception desks etc.
- Shop Fitting: displays, counters, wall cladding etc.
- Airports: check-in counters
- Public buildings: displays in museums, facades, meeting tables etc.
- Hospitals: laboratory countertops, decontamination sinks, endoscopy etc.

Solid surface is priced to compete with natural stone or quartz surfacing. It is available in many colors and patterns. The material can be formed to shape, which makes it appealing to





ABOUT US



Afifi Solid Surface was created in the year 2014 after carefully researching the market need and requirement.

It is made of modified acrylic resin and ATH in continuous casting process committed to customer satisfaction through adopting the highest international standards and leading edge solid surface manufacturing techniques .

Our philosophy is to invest in people and technology with an aim to create superior product and services and contribute positively in the growth of society globally.





commercial and industrial designers. Specialist fabricators possess the skills and knowledge necessary to provide advice and customer service.

Certain high-heat applications (anything above 400 F /200 C) are discouraged, due to the danger of cracking. Because scratches in solid surface appear white to the human eye, most dark colors are not recommended for high use areas.





Performance characteristics

Solid surface is a non-porous low-maintenance material used for surfaces such as countertops. It can mimic the appearance of stone, wood and other naturally occurring materials, and can be joined invisibly by a trained craftsman. Typically manufactured in sheet form for fabrication into finished countertops, solid surface can also be cast into a variety of shapes, including sinks, shower pans and bathtubs. Sheet goods can also be heated and bent into three-dimensional shapes using a process called thermoforming, which adds to the versatility of the product. Color and design flexibility are key factors when choosing engineered composites over natural stone.





In a residential setting, solid surface can be used as kitchen countertops, bathroom vanity tops, and shower and tub surrounds. Countertop fabricators typically join solid surface sheets into desired shapes using a two-part adhesive, after which the cured joint is machined flat. The same method is used to create extra thick edges, which can be machined using tools and techniques similar to those used to work hardwoods.

A major appeal of solid surface is its seamless nature. Engineered composites have a gel coat surface finish which makes them impervious to bacteria, staining and most of the problems inherent in natural stone. Solid surface sinks can be joined to the countertop surface with no gaps, which eliminates areas for water to collect and bacteria to grow. Integral backsplashes can also be created that follow the contours of the wall “seamlessly” and without gaps.





Should the material become scratched or broken, solid surface can, in most cases, be repaired quickly by a certified solid surface repair company or trained fabricator. Because the surface is solid throughout, a countertop that has undergone years of wear and tear can be refinished. The installed product is available in a variety of finishes, ranging from matte to high-gloss, although most manufacturers recommend a matte or satin finish for ease of maintenance.



Test Data > Test Data Chemical

Acids	Result
Glacial Acetic Acid 99.5 %	Color Only
Hydrochloric Acid 35.4 %	No Effect
Hydrochloric Acid 37.0 %	Color only
Perchloric Acid 60 %	Color only
Phosphoric Acid 80 %	Color only
Citric Acid 10 %	No Effect
Citric Acid 50 %	No Effect
Sulfuric Acid 98 %	Color only
Sulfuric Acid 20 %	No Effect
Benzoic Acid 50 %	Color only
Tartaric Acid 50 %	Color only
Acetic Acid	No Effect
Nitric Acid	No Effect

Test Data > Test Data Chemical

Acids	Result
Ammonium Hydroxide 50 %	No Effect
Barium Hydroxide	No Effect
Sodium Hydroxide 40 %	No Effect
Sodium Hydroxide 50 %	No Effect
Calcium Hydroxide	No Effect
Formaldehyde	No Effect
Benzene 99 % (c)	No Effect
Toluene 99 % (c)	No Effect
Xylene	No Effect
Hydrogen Peroxide 100 %	No Effect
Methanol	No Effect
Carbon Tetrachloride	No Effect
Ethanol	No Effect
Gasolene	No Effect
Urea Saturated	No Effect
Potassium Hydroxide	No Effect

Other Chemicals

Ammonium Hydroxide 50 %

Barium Hydroxide

Sodium Hydroxide 40 %

Sodium Hydroxide 50 %

Calcium Hydroxide

Formaldehyde

Benzene 99 % (c)

Toluene 99 % (c)

Xylene

Hydrogen Peroxide 100 %

Methanol

Carbon Tetrachloride

Ethanol

Gasolene

Urea Saturated

Potassium Hydroxide

Result

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

No Effect

Test Data > Other Materials

Man Made Materials

Characteristic	Cultured Marble	Ceramic	Laminate	Afifi sheets
Seamless Joints	No	No	No	Yes
Hygienic	No	No	No	Yes
Ease of Cleaning	No	No	No	Yes
Low Maintenance	No	No	No	Yes
Non Porous	No	No	No	Yes
Homogeneous	Yes	Yes	Yes	Yes
Bending	No	No	Yes	Yes
Surface Renovation	No	No	No	Yes
Design Flexibility	No	No	Yes	Yes
Ease of Fabrication	No	No	Yes	Yes
Flat Products	Yes	Yes	Yes	Yes
Curved Products	No	No	Yes	Yes
Custom Colors	Yes	Yes	Yes	Yes
Custom Edge Details	No	No	No	Yes
Inlay Options	Yes	Yes	Yes	Yes

Natural Materials

Wood	Granite
No	No
Yes	No
Yes	Yes
No	Yes
No	No
No	No
Yes	No
Yes	No
Yes	No
No	Yes
Yes	No
No	No
Yes	No
Yes	No

Test Data > Other Materials

Man Made Materials

Characteristic	Cultured Marble	Ceramic	Laminate	Afifi sheets
Choice of Finish	No	Yes	Yes	Yes
Water Resistant	No	No	No	Yes
Weather Resistant	No	No	No	Yes
Bullet Resistant	No	No	No	Yes
Chemical Resistant	No	No	No	Yes
Fire Retardant	No	Yes	Yes	Yes
10-Year Warranty	No	No	No	Yes



Natural Materials

Wood	Granite
Yes	No
No	No
No	Yes
No	No
Yes	Yes
No	Yes
No	No

Test	Unit	Method	Results
Properties			
Flexural Strength	Psi	ASTM D790-00	6220
Flexural Modulus	Psi		1.40E+06
Tensile Properties			
Tensile Strength	Psi	ASTM D638-01	4200
Tensile Modulus	Psi		1.30E+06
Tensile Elongation at break	%		0.5
Rockwell Hardness	M Scale	ASTM D785-98	98
Barcol Hardness	Barcol Scale	ASTM D2583-95	60
Gouge Hardness		ASTM D3363	5H
Scratch Hardness			5H
Izod Impact	Foot pounds/inch	ASTM D256-00	0.25
Ball Impact Resistance	Inches of drop with no fracture	NEMA LD3-2000 3.8	64
Cigarette Burn Resistance	Pass/Fail	CA 116	Pass
Flame Spread	Flame Spread Index	ASTM E162-98	27
Flammability	Flammability Rating	ASTM D635-98	No Ignition

Test	Unit	Method	Results
Stain Resistance	Visual	NEMA LD3-2000 3.4	No Effect
Water Absorption	% Increase	ASTM D570-98	0.04
Density	Gm/cc		1.75 - 1.68
Specific Gravity	Sp gr 23/23 deg C	ASTM D792-00	1.6753
Thermal Expansion	Inch/inch/deg C	ASTM D696-98	3.18E-05
Coefficient of Friction	Static Coefficient Kinetic Coefficient	ASTM D1894-01	0.36 0.28
Thermal Conductivity	W/mk	ASTM C518-98 mod.	0.37
High Temperature Resistance	Visual	NEMA LD3-2000 3.6	No Effect
Heat Resistance	Visual	ASTM D2288	No Change at 80 deg C for 2 hrs
Boiling Water Resistance	Visual	NEMA LD3-2000 3.5	No Effect
Radiant HeatResistance	Time to failure inseconds	NEMA LD3-2000 3.10	No Failure occurred
60 Deg Reftometer Value	Spectral Glass	ASTM D523-89 1999	3.0
Dielectric Strength	Volts/0.001 inch	ASTM D1840-96	>300
Volume Resistivity	Ohms-inchs	ASTM D257-99	4.65 E +13
Surface Resistivity	Ohms	ASTM D257-99	1.60 E +15
Fungus Resistance	Visual Growth Rating	ASTM D21-96	Rating 0 (no growth)
Bacteria Resistance	Visual Growth Rating	ASTM D22-96	Rating 0 (no growth)


Texture Sample




Texture Sample



Sold




Sold 330




Sold 915




Sold 968



Sold 1202




Sold 1206



Sold 1207




Sold 2055




Sold 3003




Sold




Sold 4019




Sold 4020




Sold 4021




Sold 4022




Sold 4023



Sold 4024



Sold 4025




Sold 4027







Sold




Sold 4031




Sold 4033




Sold 4034




Sold 4036




Sold 4037



Sold 4038



Sold 4039




Sold 4040






Sold



Sold 4041




Sold 4042




Sold 4043




Sold 4044




Sold 4046



Sold 4047



Sold 4048




Sold 4049






Sold




Sold 4050




Sold 4051




Sold 4052



Sold 4070




Sold 4072



Sold 4073




Sold 4078



Sold 050940



Sold Wavy



Sold Wavy AM 1



Sold Wavy AM 2




Sold Wavy AM 3




Sold Wavy AM 5




Sold Wavy AM 6



Sold Wavy AM 7



Sold Wavy AM 8



Sold Wavy AM 9


Sold Wavy




Sold Wavy AM 10




Sold Wavy AM 11



Sold Wavy AM 12



Sold Wavy AM 13




Sold Wavy AM 14









Sold Wavy AM 4

Wavy















Wavy



Wavy






Wavy








Granite

















Granite








Granite



Granite



Granite



الشهادات التي حصلت عليها الشركة مثل ISO:

ISO 9001

QUALITY MANAGEMENT SYSTEM

ISO 14001

ENVIRONMENTAL MANAGEMENT SYSTEM

مدة الضمان على منتجاتنا:

١٠ سنوات من تاريخ التركيب

شروط الضمان:

- ١- لا يشمل هذا الضمان كل ما يصيب المنتج من الحوادث والحريق والكسور الناتجة عن سوء الاستعمال.
- ٢- يعتبر هذا الضمان لا غيا إذا لم يكن محتوما ومؤرخا من قبلنا
- ٣- يتعهد المصنع بان يقوم بصيانة هذا المنتج وفقا للشروط المذكورة أعلاه بشرط تقديم هذا الضمان مع المنتج.
- ٤- قد تختلف ألوان المنتج قليلا عن العينات المعروضة.
- ٥- تحتاج الألوان الداكنة الى عناية خاصة للتخفيف من التجبير.

مراكز ما بعد البيع والصيانة:

مركز خدمه عملاء بجده يتابع اعمال ما بعد البيع والصيانة.
جميع مسؤولين الفروع يتابعون الصيانة كلا حسب النطاق الجغرافي التابع له الصيانة

أسماء شركات المواد التي تدخل في عمليه التصنيع:

- ١-شركه العفيفي للراتنجات الكيمائية
- ٢-شركه مصنع احمد سعيد عفيفي للرخام الصناعي والالواح المحدودة
- ٣-شركه مصنع احمد سعيد عفيفي وشريكه للصناعات الخشبية
- ٤-الشركه السعوديه للراتنجات الصناعيه المحدوده (sir)
- ٥-شركه ابي حسين للكيماويات
- ٦-الشركه الشرقيه للكيماويات
- ٧-شركه معالجه الخامات الأساسية
- ٨-شركه رضا لتجاره وتطوير المعدات والآلات
- ٩-شركه الابداع المتحدة للتجارة
- ١٠-مؤسسه الكيماويات الصناعيه

عدد الموظفين الإجمالي:

٢٥٣ فني وموظف ما بين فني تصنيع وتركيب – إداريين ومسؤولين تسويق وخدمه عملاء.

عدد الموظفين في المصانع:

١٣٨ فني وموظف ما بين فني تصنيع- وإداريين ومسؤولين تسويق وخدمه عملاء.

عدد موظفي فرق التركيب:

١١٥ فني تركيب.

الطاقة الإنتاجية:

يتمثل انتاج عام ٢٠٢٠ في ظل جائحه وباء كورونا والإغلاق لمدته شهريين بالتالي:

رخام صناعي (جرانيت-مموج) : ١١٥٨٣٤ متر في العام

رخام صناعي (سولد) : ٢٣٩٧٩ متر في العام

الإجمالي : ١٣٩٨١٤ متر في العام

الواح سولد : ١٤٤١١ لوح تام الصنع

بودرة جرانيت : ٣٨٥٣١١ كيلو جرام بودرة جرانيت

احواض : ٢٥٠٠ حوض طاوولات طعام

كونتيرات استقبال رخام صناعي

مغاسل رخام صناعي

تجليد الحائط بالرخام الصناعي

عدد مصانعنا التي تعمل في مجال تصنيع الرخام:

عدد ثلاث مصانع
*مصنع العفيفي للرخام الصناعي بجده -مخطط الكرامة -الخمرة
*مصنع احمد سعيد عفيفي للرخام الصناعي والالواح المحدودة - جده-مخطط الكرامة -الخمرة
*مصنع سعيد احمد عفيفي للصناعة بالرياض -حي السلى-شارع المشاعل متفرع من شارع إسطنبول مخرج ١٨

المهمة والرؤية والقيم التي تعمل خلالها الشركة:

تم تأسيس مصنع العفيفي للرخام الصناعي عام ١٩٩٩م وذلك للمساهمة في النهضة العمرانية والصناعية التي تشهدها المملكة في مجالات الرخام الصناعي بجميع أنواعه. حيث كانت شركة العفيفي للرخام الصناعي من الشركات الرائدة في المساهمة في تنفيذ العديد من المشاريع والأعمال في الشركات الحكومية والخاصة والمباني الخاصة والفنادق ومركز التسوق والترفيه ودور العبادة والمستشفيات والجامعات وغيرها للمواكبة التطور والرؤية الحديثة الشاملة للتوسع العمراني التي تنتهجها المملكة والبحث الدائم لتقديم أحدث ما توصل اليه العالم لاستكمال منظومه البناء الحديث التي تنتهجها المملكة في شتى المجالات

عدد مراكز البيع ومواقعها:

لدينا ١١ فرع لتغطيه النطاق الجغرافي لأغلب مناطق المملكة.
لدينا فروع في كل من جده -مكة المكرمة -الطائف-المدينة المنورة-ينبع-تبوك-جيزان -خميس مشيط-القصيم-الرياض -الدمام

أنواع المنتجات:

رخام صناعي (جرانيت-سولد-اونكس)
يستخدم على سبيل المثال في:
أسطح المطابخ (مطابخ واحواض)
طاولات طعام
كونترات استقبال رخام صناعي
مغاسل رخام صناعي
تجليد الحائط بالرخام الصناعي

من ضمن نشاط الشركة على سبيل المثال وليس الحصر:

- تنفيذ مطابخ ومغاسل بالهيئة الملكية بمدينة ينبع -شركة أرامكو
- مطار الأمير محمد بن عبد العزيز المدينة المنورة
- تنفيذ مشروع المطابخ بالقوات البحرية الملكية السعودية بجدة
- إسكان الحرس الملكي واسكان وزاره الداخلية بجده -سجن عسفان
- القاعدة الجوية -خميس مشيط
- القاعدة الجوية -تبوك
- المدينة العسكرية -تبوك
- مدرسه تعليم القيادة تبوك
- تنفيذ مشروعات الجامعات (الطائف كلية الصيدلة -المدينة المنورة الجامعة الإسلامية وجامعه طيبه-مكتبه دار الزمان)
- تنفيذ مشروع مستشفى المدينة الوطني-مستشفى الملك فهد سكن الأطباء بالمدينة المنورة
- تنفيذ مشروع مستشفى الاندلس بالطائف
- مستشفىات حراء
- مستشفى الجدعاني -جده
- مركز الرعاية المزمنة التخصصي شارع حائل بجده
- مستشفى عفيف
- معامل البرج
- شركه تحليه مياه -ثول
- مستشفى الملك فهد -تبوك
- تنفيذ مشروع بالحرس الوطني السعودي بجدة
- مستشفى الملك عبد العزيز الطائف
- مستشفى الامراض النفسية الطائف
- مغاسل مسجد قباء المدينة المنورة-مغاسل واسطح مطابخ فنادق محيط الحرم الماكي بمكة المكرمة.
- مطاعم ومحلات مأكولات وكونترات استقبال (في العرب مول جده-الياسمين مول جده-الاندلس مول السلام مول عزيز مول جده-غرناطة مول الرياض-برك مول تبوك-المنار مول المدينة المنورة)
- مطابخ بكمباوند اعمار في جده -فيلات مشارف بعسفان

نبذه سريعة عما وصلت اليه الشركة اليوم:

يسعد ادارة شركة مصنع احمد سعيد عفيفي للرخام الصناعي ان تقدم لسيادتكم جميع خدماتها تحت مظلة مجموعة العفيفي وتتمثل تلك الخدمات في تصنيع واعداد أفضل خامات الرخام الصناعي وتوفير أكبر اسطول سيارات بالمملكة لتوفير سرعة الخدمة وجودتها كما تعتبر شركة مصنع احمد سعيد عفيفي للرخام الصناعي من الشركات الرائدة في مجال الرخام الصناعي حيث انها اول مصنع رخام صناعي أنشأ بالمملكة.

ونتميز بإنتاج جميع أنواع الرخام الصناعي والأونكس والجرانيت والرخام السولد لذا تقوم الشركة بتحقيق رغبات جميع الافراد، الهيئات، الشركات، الجمعيات الدينية، الجامعات، المساجد وغيرها. من اعداد وتنفيذ أكبر المشاريع وتنفيذ جميع المقاسات التي تناسب جميع المساحات وبالأسعار المناسبة.

وتتميز ايضا الشركة بتقديم اعلي مستوي من الخدمات من خلال نخبة من العاملين بها ذوي الخبرة والاعداد والتدريب واهم اهدافهم الوقوف على راحة العميل ونفتخر بتقديم أكبر عدد من الفنيين والإداريين سخرت جميعها لتقديم أفضل خدمة للعميل بفروعنا في جميع أنحاء المملكة.

تم تأسيس مصنع العفيفي للرخام الصناعي عام ١٩٩٩م وذلك للمساهمة في النهضة العمرانية والصناعية التي تشهدها المملكة في مجالات الرخام الصناعي بجميع أنواعه. حيث كانت شركة العفيفي للرخام الصناعي من الشركات الرائدة في المساهمة في تنفيذ العديد من المشاريع والأعمال الفنية في الشركات الحكومية والمباني الخاصة والفنادق العالمية.

ولدينا العديد من الفروع في جميع انحاء المملكة ولدينا فرع خارج المملكة في جمهورية مصر العربية تحت اسم مصنع الرواد للرخام الصناعي.

ويعد مصانع الرخام الصناعي من المصانع التي تحرص دائما على استخدام أحدث الاساليب والوسائل التكنولوجية في التصنيع حيث ان جميع معدات ومكائن المصنع امريكية ذات جودة عالية.

ان تطورنا هو نتيجة لسعيانا الدائم نحو الأفضل والأجود ومزيج من البنية التحتية المميزة التي تتضمن انتاج المصنع وشبكات التوزيع ذات المقاييس العالمية. إن إنتاج مصنع العفيفي للرخام الصناعي بجدة في المملكة العربية السعودية يعادل ضعف إنتاج مثيلتها داخل المملكة وخارجها



مجموعة العفيفي الصناعية
AFIFI INDUSTRIAL GROUP

Facebook/afifi group
twitter @afifimarble
instagram #afifimarble

ايميلات وأرقام أصحاب القرار في الشركة وعناوين مواقع التواصل الاجتماعي:
المدير العام : أيمن حسين أبو نجم
جوال : ٠٠٩٦٦٥٠٥٨٠٤٧٧٠

المدير التنفيذي : أحمد حسنى عزوقه
جوال : ٠٠٩٦٦٥٥٣١٩٩٣٣٣
Email: ahmed@afifi.com.sa

مدير المبيعات : أحمد عبد الباسط
جوال : ٠٠٩٦٦٥٥٩٢٩٥٩٣١
Email: a.abddalbasit@afifi.com.sa



مجموعة العفيفي الصناعية
AFIFI INDUSTRIAL GROUP



Company Portfolio